RAMANANDA CENTENARY COLLEGE LAULARA, PURULIA-723151

Notice Inviting Quotation

As per guideline by the West Bengal State Council of Technical & Vocational Education and Skill Development Department, Govt. of West Bengal, Sealed Quotation for procurement of Laboratory to this Vocational Training Centre for 2/3WM trade is hereby invited from eligible manufacturers/authorized distributors/dealers. Last date of submission of quotation by 14/06/2018 (2.00 P.M.)

Quotation must be submitted to the College Tender Box

For details List of Equipment see next pages

Sd/- Teacher-in-Charge

Projected Equipment cost for Two/ Three Wheeler Mechanic Trade under NQR

Comparative Statement for Equipment for Advance VTC **Lowest Cost** Total Qty. Cost per unit | Total cost Specification SI. No. Equipment Testing of all opening points of 1 one particular harness 2 Auto Electrical test bench Depends upon the model (Lift 1100 LB Auto ATV Touring Dirt 2 Scooter / Motor cycle Bike Scooter Mini Scissor Center Hoist Floor) 2 repairing stand Working model of MPFI of 3 2 LPG fuel driven auto rickshaw 1 Pneumatic Tool Standard 4 2 Standard Hydraulic Type Lift 5

5

14

10.5 to 11.25 mm, 11.25 to 12.75 mm, 12.75 to 14.25 mm and

14.25 to 15.75 mm

6

Total

Hand reamers adjustable

Spanner D.E. set of 12 pieces Spanners ving set of 12		Comparative Statement for	or Tools for Advance VTC					
Spanner D.E. set of 12 pieces Cemm to 32mm 5 Spanner Socket with speed handle, T-bar, ratchet and universal with box Spanner socket with speed handle, T-bar, ratchet and universal with box Spanner socket with speed handle, T-bar, ratchet and universal with box Spanner socket with speed with box Spanner socket with speed handle, T-bar, ratchet and universal with box Spanner socket with speed with box Spanner socket with box	SI. No.	Tools	Specification	Qty.	Cost per unit	Total cost	Lowest Cost	Total
Metric sizes Good to 32 mm. Sopaners socket with speed Sopaners socket with speed Indiana	1		(6mm to 32mm)	5				
3	2		6 to 32 mm.	5				
Adjustable spanner (pipe wrench wrench 350 mm 5	3	handle, T-bar, ratchet and		5				
Sammeter	4	10 M	350 mm	5				
10 - 265 V AC Supply(50 / 60 Hz, 14.2 V max output, max current 1 amp	5	Ammeter						
Slow Lamp	6	The state of the s	Hz), 14.2 V max output, max					
Section Sect	7		The state of the s					
150 Clamps C 150 mm 5 5 6 7 7 7 7 7 7 7 7 7								
10 Clamps C 200 mm 5 5				7,000				
11 Copper bit soldering iron 0.25 Kg 5								
12 Outside micrometer		A STATE OF THE STA		5				
13				5			/	
Electric Soldering Iron temperature 200-450°C, 5 tips 5 14 Grease Gun 6000 psi 300 cc lever type 2 15 Multimeter digital LCD DC AC 2 16 Outside micrometer 25 to 50 mm 2 17 Outside micrometer 50 to 75 mm 2 18 Outside micrometer 75 to 100 mm 2 19 Power Supply 0-12 v, I amp 2 20 Tachometer (Counting type) Contact type digital 2 21 Taps and wrenches Metric (set) 2 22 Thread pitch gauge metric, BSW 2 23 Tyre pressure gauge with holding nipple Standard 2 24 Allen Key set 12 pieces (2mm to 14mm) 5 25 Caliper inside 15 cm Spring 5 26 Calipers outside 15 cm Spring 5 27 Center Punch 10 mm. Dia. x 100 mm. 5 28 Dividers 15 cm Spring 5 30 Electrician Screw Driver 250 mm 5 31 Ball peen hammer Peen 0.5 kg in with handle 5 32 Phillips Screw Driver set 5 pieces (100 to 300mm) 5 33 Screw driver 20 cm. X 9 mm. Blade 5 34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5 Viire cutter and stripper Crimper Plier Electrical Tool 5	12	Outside micrometer	0 – 25 mm, LC: 0.02	2				
14 Grease Gun 6000 psi 300 cc lever type 2	-	Electric Soldering Iron		5				
Multimeter digital LCD DC AC 2 2	14	Grease Gun						
17 Outside micrometer 50 to 75 mm 2 2 3 3 3 5 3 5 5 3 5 5								
18 Outside micrometer 75 to 100 mm 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2			25 to 50 mm	2				
Power Supply 0-12 v, I amp 2	17	Outside micrometer	50 to 75 mm	2				
Power Supply 0-12 v, I amp 2	18	Outside micrometer	75 to 100 mm	2				
Tachometer (Counting type) Contact type digital 2 Taps and wrenches Metric (set) 2 Thread pitch gauge metric, BSW 2 Tyre pressure gauge with holding nipple Standard 2 Allen Key set 12 pieces (2mm to 14mm) 5 Caliper inside 15 cm Spring 5 Caliper soutside 15 cm Spring 5 Calipers outside 15 cm Spring 5 Center Punch 10 mm. Dia. x 100 mm. 5 Dividers 15 cm Spring 5 Dividers 15 cm Spring 5 Ball peen hammer 250 mm 5 Ball peen hammer Peen 0.5 kg in with handle 5 Philips Screw Driver set 5 pieces (100 to 300mm) 5 Screw driver 30 cm. X 9 mm. Blade 5 Screw driver 30 cm. X 9 mm. Blade 5 Scriber 20 cm Steel rule 30 cm (inch and metric) 5 Wire cutter and stripper Crimper Plier Electrical Tool 5 Chisel flat 2.2 cm x 20 cm flat 5	19	Power Supply 0-12 v, I amp		2				
Thread pitch gauge metric, Tyre pressure gauge with holding nipple Standard Allen Key set 12 pieces (2mm to 14mm) Caliper inside 15 cm Spring Caliper soutside 15 cm Spring Center Punch Dividers Dividers 15 cm Spring Dividers 15 cm Spring Dividers 15 cm Spring Dividers 15 cm Spring Dividers Divid			Contact type digital	2	-			
Thread pitch gauge metric, BSW 2 Tyre pressure gauge with holding nipple Standard 24 Allen Key set 12 pieces (2mm to 14mm) 5 25 Caliper inside 15 cm Spring 5 26 Calipers outside 15 cm Spring 5 27 Center Punch 10 mm. Dia. x 100 mm. 5 28 Dividers 15 cm Spring 5 29 Hands file 20 cm. Second cut flat 5 30 Electrician Screw Driver 250 mm 5 31 Ball peen hammer Peen 0.5 kg in with handle 5 32 Philips Screw Driver 20 cm. X 9mm. Blade 5 33 Screw driver 30 cm. X 9 mm. Blade 5 34 Screw driver 30 cm X 9 mm. Blade 5 35 Scriber 20 cm 36 Steel rule 30 cm (inch and metric) 5 Wire cutter and stripper Crimper Plier Electrical Tool 5 36 Chisel flat 2.2 cm x 20 cm flat 5	21	Taps and wrenches	Metric (set)	2				
holding nipple Standard 2			BSW	2				
25 Caliper inside 15 cm Spring 5 26 Calipers outside 15 cm Spring 5 27 Center Punch 10 mm. Dia. x 100 mm. 5 28 Dividers 15 cm Spring 5 29 Hands file 20 cm. Second cut flat 5 30 Electrician Screw Driver 250 mm 5 31 Ball peen hammer Peen 0.5 kg in with handle 5 32 Philips Screw Driver set 5 pieces (100 to 300mm) 5 33 Screw driver 20 cm.X 9 mm. Blade 5 34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm 5 36 Steel rule 30 cm (inch and metric) 5 37 Wire cutter and stripper Crimper Plier Electrical Tool 5 38 Chisel flat 2.2 cm x 20 cm flat 5	23 H	nolding nipple	And the second s	2				
26 Calipers outside 15 cm Spring 5 27 Center Punch 10 mm. Dia. x 100 mm. 5 28 Dividers 15 cm Spring 5 29 Hands file 20 cm. Second cut flat 5 30 Electrician Screw Driver 250 mm 5 31 Ball peen hammer Peen 0.5 kg in with handle 5 32 Philips Screw Driver set 5 pieces (100 to 300mm) 5 33 Screw driver 20 cm. X 9 mm. Blade 5 34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm 5 36 Steel rule 30 cm (inch and metric) 5 37 Wire cutter and stripper Crimper Plier Electrical Tool 5 38 Chisel flat 2.2 cm x 20 cm flat 5			12 pieces (2mm to 14mm)	5				
27 Center Punch 10 mm. Dia. x 100 mm. 5 28 Dividers 15 cm Spring 5 29 Hands file 20 cm. Second cut flat 5 30 Electrician Screw Driver 250 mm 5 31 Ball peen hammer Peen 0.5 kg in with handle 5 32 Philips Screw Driver set 5 pieces (100 to 300mm) 5 33 Screw driver 20 cm. X 9 mm. Blade 5 34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm 5 36 Steel rule 30 cm (inch and metric) 5 37 Wire cutter and stripper Crimper Plier Electrical Tool 5 38 Chisel flat 2.2 cm x 20 cm flat 5			15 cm Spring	5				
Dividers 15 cm Spring 5 Hands file 20 cm. Second cut flat 5 Belectrician Screw Driver 250 mm 5 Ball peen hammer Peen 0.5 kg in with handle Philips Screw Driver set 5 pieces (100 to 300mm) Screw driver 20 cm. X 9mm. Blade Screw driver 30 cm. X 9 mm. Blade Screw driver 30 cm. X 9 mm. Blade Screw driver 30 cm (inch and metric) Flastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool Description Screw driver S	26 (Calipers outside	15 cm Spring	5				
28 Dividers 15 cm Spring 5 29 Hands file 20 cm. Second cut flat 5 30 Electrician Screw Driver 250 mm 5 31 Ball peen hammer Peen 0.5 kg in with handle 5 32 Philips Screw Driver set 5 pieces (100 to 300mm) 5 33 Screw driver 20 cm. X 9 mm. Blade 5 34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm 5 36 Steel rule 30 cm (inch and metric) 5 37 Plastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool 5 38 Chisel flat 2.2 cm x 20 cm flat 5	27 (Center Punch	10 mm. Dia. x 100 mm.	5				
Hands file 20 cm. Second cut flat 5 Belectrician Screw Driver 250 mm 5 Ball peen hammer Peen 0.5 kg in with handle Phillips Screw Driver set phillips Screw Driver set phillips Screw Driver set phillips Screw Driver set priver set pri	28	Dividers	15 cm Spring				WAR TO SHARE	
Ball peen hammer Peen 0.5 kg in with handle 5 Philips Screw Driver set 5 pieces (100 to 300mm) 5 Screw driver 20cm.X 9mm. Blade 5 Screw driver 30 cm. X 9 mm. Blade 5 Scriber 20 cm 5 Steel rule 30 cm (inch and metric) 5 Wire cutter and stripper Crimper Plier Electrical Tool 5 Chisel flat 2.2 cm x 20 cm flat 5	29 F							
Ball peen hammer Peen 0.5 kg in with handle 5 Philips Screw Driver set 5 pieces (100 to 300mm) 5 Screw driver 20cm.X 9mm. Blade 5 Screw driver 30 cm. X 9 mm. Blade 5 Scriber 20 cm 5 Steel rule 30 cm (inch and metric) 5 Plastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool 5 Chisel flat 2.2 cm x 20 cm flat 5	30 E			2200				
32 Philips Screw Driver set 5 pieces (100 to 300mm) 5 33 Screw driver 20 cm. X 9 mm. Blade 5 34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm 5 36 Steel rule 30 cm (inch and metric) 5 37 Plastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool 5 38 Chisel flat 2.2 cm x 20 cm flat 5			and the second s					
33 Screw driver 20cm.X 9mm. Blade 5								
34 Screw driver 30 cm. X 9 mm. Blade 5 35 Scriber 20 cm 5 36 Steel rule 30 cm (inch and metric) 5 37 Plastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool 5 38 Chisel flat 2.2 cm x 20 cm flat 5								
35 Scriber 20 cm 5				_				
Steel rule 30 cm (inch and metric) 5 Plastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool 5 Chisel flat 2.2 cm x 20 cm flat 5				100		5	9	
Plastic Handle Wire Strippers Wire cutter and stripper Crimper Plier Electrical Tool 5 Chisel flat 2.2 cm x 20 cm flat 5			apply street and the					
Wire cutter and stripper	20 2			5				
I I I I I I I I I I I I I I I I I I I	V	Vire cutter and stripper (Crimper Plier Electrical Tool					
39 Chisel octagonal flat 200 mm X 6 mm 5	_							1

SI. No	. Tools	Specification	Qty.	Cost per unit	Total cost	Lowest Cost	Total
40	Circlip pliers Expanding and						4164
	contracting type	15cm and 20cm each	5				
41	Cleaning tray	45x30 cm.	5				
42	Drill twist	14mm, 15mm	2				
43	Electric testing screw driver	6′	10				
44	Feeler gauge	20 blades (metric)	10				
45	File flat	20 cm bastard	10				
46	File, half round	20 cm second cut	10				
47	File, Square	20 cm second cut	10				
48	File, Square	30 cm round	10				
49	File, triangular	25 cm second cut	10				
50	Flat File	25 cm second cut	10				
51	Flat File	35 cm bastard	10	3			
52	Hacksaw frame	adjustable 20-30 cm	10			學 生物學	
53	Hammer Ball Peen with handle	0.75 Kg	5				
54	Hammer Chipping with		3				
15.03	handle	0.25 Kg	5			ſ	
55	Hammer Mallet	Wooden standard	5				
56	Insulated Screw driver	20 cm x 9mm blade	5				
57	Insulated Screw driver	30 cm x 9mm blade	5			C. Philipping	
58	Oil can	0.5/0.25 liter capacity	2			AND THE PARTY OF	
59	Oil Stone	15 cm x 5 cm x 2.5 cm	1				
60	Prick Punch	15 cm	5			260 (0.000)	
61	Punch Letter (Number)	4mm	5			All harmonistates was expense.	
62	Spanner, adjustable	15cm.	2				
63	Spark lighter		2				
64	Voltmeter 0-50V/DC	Powered by 9V AC/DC	2				-
65	Wire Gauge (metric)		2		728		
_ 2	Cylinder bore gauge	capacity 18 to 160 mm	1				- 114
3	Depth micrometer (digital)	0-25mm, LC: 0.02mm	2				
4		1.5 mm to 13 mm (23 pcs) by 0.5					
10	Drill twist	mm step, 14mm, 15mm	2				. 22
5	- "	1600 x 1000 with stand and			3.2		- 3
	Granite surface plate	cover	1				
6	Portable electric drill						
	Machine	Standard	2	14			
7	Torque wrenches	3/8' Square Drive, 5-33 Nm,	2				1466
8		½' Square Drive12-68 Nm &	2				
9	0.423 U	½' Square Drive50-225 Nm	2				
10	V' Block	75 x 38 mm pair with Clamps	2				133
11	Vernier caliper	0-300 mm with least count 0.02mm	2				*
		0.02111111	2				
	Grinding machine (general	D.E. pedestal with 300 mm dia					
	purpose)	wheels rough and smooth	1				THE STATE
	Trolley type portable air compressor single cylinder	45 liters	1				
	- G- vjimaci		9/20_3				28
Total			317		No	2	